


Please amend claims 1, 2, 9, 10 and 12-15 as follows:

1. (Amended) A compound represented by formula (I) or a salt thereof:



wherein

A2  $R^1$  represents isobutyryl, tigloyl, isovaleryl, or 2-methylbutanoyl;

$R^2$  represents a hydrogen atom, an aromatic carboxylic acid residue excluding a 3-hydroxypicolinic acid residue, a 3-hydroxy-4-methoxypicolinic acid residue and a 3,4-dimethoxypicolinic acid residue, or represents a protective group of amino; and

$R^3$  represents a hydrogen atom.

2. (Amended) The compound or salt thereof according to claim 1, wherein the aromatic carboxylic acid residue represented by  $R^2$  is selected from the group consisting of a benzoic acid residue having a substituent, a nicotinic acid residue having a substituent, a quinolinecarboxylic acid residue having a substituent, a pyrimidine carboxylic acid residue having a substituent, and a quinoxalinecarboxylic acid residue having a substituent.

A3 9. (Amended) The compound or salt thereof according to claim 20 or 21, wherein the acylamino represented by  $R^3$  is  $C_{1-6}$  acylamino or the N,N-dialkylamino represented by  $R^3$  is N,N-di( $C_{1-4}$ )alkylamino.

AB  
act

10. (Amended) The compound or salt thereof according to claim 20 or 21, wherein the acylamino represented by  $R^3$  is formylamino or the N,N-dialkylamino represented by  $R^3$  is N,N-dimethylamino.

12. (Amended) A method for preventing the appearance and proliferation of fungi or exterminating fungi, comprising using the compound or salt thereof according to any one of claims 1, 20 or 21.

AC

13. (Amended) A method for treating fungal infectious diseases, comprising administering the compound or salt thereof according to any one of claims 1, 20 or 21 to animals including human beings.


SUBB37

14. (Amended) A method for treating fungal infectious diseases, comprising applying the compound or salt thereof according to any one of claims 1, 20 or 21 to agricultural or garden plants.

15. (Amended) A method for preventing the appearance and proliferation of fungi or exterminating fungi, comprising applying the compound or salt thereof according to any one of claims 1, 20 or 21 to industrial products or in the course of production of industrial products.

Please add new claims 20-28 as follows:

20. (New) A compound represented by formula (I) or a salt thereof:




wherein

$R^1$  represents isobutyryl, tigloyl, isovaleryl, or 2-methylbutanoyl;

$R^2$  represents a 3-hydroxy-4-methoxypicolinic acid residue; and

$R^3$  represents nitro, amino, acylamino, or N,N-dialkylamino.

21. (New) A compound represented by formula (I) or a salt thereof:



wherein

$R^1$  represents isobutyryl, tigloyl, isovaleryl, or 2-methylbutanoyl;

$R^2$  represents a hydrogen atom, an aromatic carboxylic acid residue excluding a 3-hydroxy-4-methoxypicolinic acid residue, or represents a protective group of amino; and

$R^3$  represents nitro, amino, acylamino, or N,N-dialkylamino.

SUBB4

22. (New) The compound or salt thereof according to claim 21, wherein the aromatic carboxylic acid residue represented by  $R^2$  is selected from the group consisting of a benzoic acid residue having a substituent, a nicotinic acid residue having a substituent, a quinolinecarboxylic acid residue having a substituent, a pyrimidine carboxylic acid residue having a substituent, and a quinoxalinecarboxylic acid residue having a substituent.

23. (New) The compound or salt thereof according to claim 21, wherein the aromatic carboxylic acid residue represented by  $R^2$  is selected from the group consisting of a hydroxybenzoic acid residue, a picolinic acid residue, a nicotinic acid residue having a hydroxy substituent, a quinolinecarboxylic acid residue, a pyrimidinecarboxylic acid residue having a hydroxy substituent, and a quinoxalinecarboxylic acid residue having a hydroxy substituent.

24. (New) The compound or salt thereof according to claim 21, wherein the aromatic carboxylic acid residue represented by  $R^2$  is a picolinic acid residue,

said picolinic acid residue being substituted by at least one substituent selected from the group consisting of hydroxy,  $C_{1-6}$  alkoxy, benzyloxy,  $C_{1-6}$  alkylcarbonyloxy, benzoyloxy,  $C_{1-6}$  alkoxy carbonyloxy,  $C_{1-6}$  alkyloxy carbonyl  $C_{1-10}$  alkylcarbonyloxy, benzyloxy carbonyl  $C_{1-10}$  alkylcarbonyloxy, carboxy  $C_{1-10}$  alkylcarbonyloxy,  $C_{1-6}$  alkylphosphoryloxy, di( $C_{1-6}$ )alkylphosphoryloxy, and diphenylphosphoryloxy.

25. (New) The compound or salt thereof according to claim 21, wherein the aromatic carboxylic acid residue represented by  $R^2$  is a picolinic acid residue,

said picolinic acid residue being substituted  
by  $C_{1-6}$  alkoxy and

by at least one substituent selected from the group consisting of hydroxy,  $C_{1-6}$  alkylcarbonyloxy, benzoyloxy,  $C_{1-6}$  alkoxy carbonyloxy,  $C_{1-6}$  alkyloxy carbonyl  $C_{1-10}$  alkylcarbonyloxy, benzyloxy carbonyl  $C_{1-10}$  alkylcarbonyloxy, carboxy  $C_{1-10}$  alkylcarbonyloxy,  $C_{1-6}$  alkylphosphoryloxy, di( $C_{1-6}$ )alkylphosphoryloxy, and diphenylphosphoryloxy.

26. (New) The compound or salt thereof according to claim 21, wherein the aromatic carboxylic acid residue represented by  $R^2$  is a picolinic acid residue,

the 4-position of said picolinic acid residue being substituted by  $C_{1-6}$  alkoxy,